



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/772,024	02/04/2004	Adrian Buckley	555255012698	5338

44208 7590 03/21/2007  
DOCKET CLERK  
PO BOX 12608  
DALLAS, TX 75225

EXAMINER
----------

SHARMA, SUJATHA R

ART UNIT	PAPER NUMBER
----------	--------------

2618

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	03/21/2007	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

**Office Action Summary**

Application No.

10/772,024

Applicant(s)

BUCKLEY, ADRIAN

Examiner

Sujatha Sharma

Art Unit

2618

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 04 February 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)  | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date <u>2/4/04</u> . | 6) <input type="checkbox"/> Other: _____  |

**DETAILED ACTION**

***Claim Rejections - 35 USC § 102***

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by Raith [WO 98/48577].

Regarding claim 1, Raith discloses a system and method for identifying emergency calls in communication network. Raith further discloses a method comprising:

- a network-positioned code-delivery detector adapted to receive a network-part identifier code that identifies at least the selected service center of the at least the first service center, said network-positioned code-delivery detector for detecting values of each network-part identifier code received thereat. See page 5, lines 26-29, page 6, lines 8-25, page 9, lines 6- page. 10, line 15 and Fig. 5. Here the adjunct unit acts as the network-positioned code-delivery detector, which detects the emergency code and directs the call to the appropriate emergency service center.
- an identifier-code broadcast scheduler coupled to said network-positioned code-delivery detector to receive indications of the values detected thereat, said identifier-code broadcast scheduler for scheduling at least a selected broadcast of the values throughout at least a portion of an area encompassed by the network part. See page 6, lines 9-19

Regarding claim 2, Raith discloses a method wherein said network-positioned code-delivery

Art Unit: 2618

detector is embodied at the network part through which the call to the selected service center is routable. See page 9, lines 6- page. 10, line 15 and Fig. 5. Here the adjunct unit acts as the network-positioned code-delivery detector, which detects the emergency code and directs the call to the appropriate emergency service center.

Regarding claim 3, Raith discloses a method wherein said identifier-code broadcast scheduler is further embodied at the network part through which the call to the selected service center is routable. See page 6, lines 9-19 and page 9, lines 6- page 10, line 15 and Fig. 5. Here the adjunct unit acts as the network-positioned code-delivery detector, which detects the emergency code and directs the call to the appropriate emergency service center.

Regarding claim 4, Raith discloses a method wherein the radio communication system operates pursuant to an operating specification that defines a cell broadcast center and wherein said network-positioned code-delivery detector and said identifier-code broadcast scheduler are embodied at the cell broadcast center. See page 6, lines 9-19 and page 9, lines 6- page 10, line 15 and Fig. 5. Here the broadcast unit to broadcast the local emergency number is in operator's system and so also the adjunct unit to detect the emergency code and route the call appropriately to the emergency center.

Regarding claim 5, Raith discloses a method wherein the operating specification pursuant to which the radio communication system operates comprises a GSM (Global System for

Art Unit: 2618

Mobile communications) operating specification and wherein the cell broadcast center at which said network-positioned code-delivery detector and said identifier-code broadcast center are embodied comprises a GSM cell broadcast center. See page 3, lines 17-28

Regarding claim 6, Raith discloses a method further comprising:

a computer-network-positioned retriever for retrieving the network-part identifier code that identifies at least the selected service center and for providing values thereof to said network-positioned code-delivery detector. See page 6, lines 9-19 and page 9, lines 6- page 10, line 15 and Fig. 5. Here the adjunct unit acts as the network-positioned code-delivery detector, which detects the emergency code and directs the call to the appropriate emergency service center.

Regarding claims 7,8 Raith discloses a method further comprising a data base element at which the values of the network-part identifier code that identifies at least the selected service center is stored and wherein said retriever retrieves the network-part identifier code by accessing the values stored at said data base element. See page 10, lines 3-15

Regarding claim 9, Raith discloses a method wherein the network-part further comprises at least a first base transceiver station and a base station controller, and wherein said identifier-code broadcast scheduler provides indicia of the scheduling scheduled thereat to the base station controller to cause effectuation of the at least the selected broadcast of the values throughout the at least the portion of the area encompassed by the network part. See page 6, lines 9-19 and page 9, lines 6- page 10, line 15 and Fig. 5. Here the broadcast unit to broadcast

Art Unit: 2618

the local emergency number is in operator's system and so also the adjunct unit to detect the emergency code and route the call appropriately to the emergency center.

Regarding claim 11, Raith discloses a method wherein the radio communication system operates pursuant to an operating specification that defines a cell broadcast channel and wherein the at least the selected broadcast scheduled by said scheduler is caused to be broadcast upon the cell broadcast channel. See page 6, lines 13-15.

Regarding claim 12, Raith discloses a method further comprising a mobile node-positioned code-broadcast detector for detecting values of the at least the selected broadcast caused to be broadcast responsive to the scheduling scheduled by said identifier-code broadcast scheduler. See page 5, lines 26-29, page 6, lines 8-25, page 9, lines 6- page. 10, line 15 and Fig. 5.

Regarding claim 13, Raith discloses a method further comprising an indexer embodied at the mobile node and coupled to said mobile node-positioned cell-broadcast detector, said indexer for indexing values of the network part identifier code detected by said mobile node-positioned code-broadcast detector together with values of at least a first mobile-node identifier code. See page 7, line 27 – page 8, line 27.

Regarding claim 14, Raith discloses a method wherein the mobile node further comprises a user input actuator actuable by a user of the mobile node, wherein said apparatus further comprises a transposer coupled to the user actuator and to said indexer, said transposer operable responsive to

Art Unit: 2618

actuation of the user input actuator with values of a mobile-node identifier for transposing the values into corresponding values of a network-part identifier code. See page 7, line 27 – page 8, line 27.

Regarding claim 15, Raith discloses a method comprising:

- maintaining values, at the network-part, of at least a first network-part identifier code that identifies at least the selected service center of the at least the first selected service center; See page 9, line 11 – page 10, line 15
- scheduling at least a selected broadcast of the values maintained during said operation of maintaining throughout at least a portion of an area encompassed by the network part. See page 6, lines 8-25, page 7, lines 19-27, page 8, lines 4-27 where the location specific emergency code is broadcast in that specific area/country where the mobile is roaming.

Regarding claim 16, Raith discloses a method further comprising the operation of broadcasting the at least the selected broadcast scheduled during said operation of scheduling. See page 6, lines 8-25, page 7, lines 19-27, page 8, lines 4-27.

Regarding claim 17, Raith discloses a method further comprising the operation of detecting, at the mobile node, the values broadcast during said operation of broadcasting. See page 6, lines 8-25, page 7, lines 19-27, page 8, lines 4-27.

Regarding claim 18, Raith discloses a method further comprising the operation of: indexing, at

Art Unit: 2618

the mobile node, at least a first mobile-node identifier code that identifies, at the mobile node, the at least the first service center, together with a corresponding at least first network-part identifier code, values of which are detected during said operation of detecting. See page 6, lines 8-25, page 7, lines 19-27, page 8, lines 4-27, See page 9, line 11 – page 10, line 15.

Regarding claim 19, Raith discloses a method further comprising the operations of: entering, at the mobile node, values of a selected mobile-node identifier code of the at least the first mobile-node identifier code; and transposing the values into a corresponding network-part identifier code indexed together therewith. See page 7, line 27 – page 8, line 27.

Regarding claim 19, Raith discloses a method further comprising:

- a mobile node-positioned code-broadcast detector for detecting values of a broadcast to the mobile node of at least a first network-part identifier code that identifies the at least the first selected service center; See page 9, line 11 – page 10, line 15
- an indexer coupled to said mobile node-positioned code-broadcast detector, said indexer for indexing values of the network-part identifier code detected by said mobile node-positioned code-broadcast detector together with values of at least a first mobile-node identifier code. See page 6, lines 8-25, page 7, lines 19-27, page 8, lines 4-27, See page 9, line 11 – page 10, line 15.



***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Raith [WO 98/48577] in view of Raith [US 6,625,457] (herein after Raith').

Regarding claim 10, Raith discloses all the limitations as disclosed. However, he does not specifically disclose a method wherein the at least the selected broadcast scheduled by said identifier-code broadcast scheduler is scheduled for broadcast at selected intervals.

Raith', in the same field of endeavor, teaches a method wherein the at least the selected broadcast scheduled by said identifier-code broadcast scheduler is scheduled for broadcast at selected intervals. See col. 5, lines 15-20, col. 6, lines 25-29 and 62-65

Therefore it would have been obvious to one with ordinary skill in the art at the time the invention was made to modify Raith by the above teaching of Raith' in order to provide more accurate location specific information especially the emergency information as the mobile roams.

***Conclusion***

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Art Unit: 2618

Lee [6,181,930] discloses a method for automatic setting of area code CDMA mobile telephone system.

Agre [US 5,946,618] discloses a method and apparatus for performing position based call processing in a mobile telephone system using multiple location mapping schemes.

Pande [US 6,519,466] discloses a multi-mode global positioning system for use with wireless networks.

Raith [US 6,115,596] discloses systems and methods for handling emergency calls in hierarchical cell structures.

Kamel [US 6,371,103] Method and system for overhead system updates.

Bell [US 6,680,998] Providing private network information during emergency calls


Funk [US 5,226,075] Method and apparatus for numbering and routing calls through a communication network

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sujatha Sharma whose telephone number is 571-272-7886. The examiner can normally be reached on Mon-Fri 7.30am - 4.00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew D. Anderson can be reached on 571-272-4177. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2618

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

  
Sujatha Sharma  
March 13, 2007